



Lennox Merit Series™ Gas Furnace

Reliable and economical
Efficient heating



Exclusively distributed by

KIRBY

A **BEIJER REF** Company

Lennox Merit Series™ Gas Furnace



The Lennox Merit Series™ gas furnace offers a reliable and economic solution. The Lennox Merit Series™ gas furnace has a 3.8 (average) star efficiency rating for internal applications and a 2.8 (average) star efficiency rating for external applications. The versatile design makes it extremely installer friendly. For internal roof installations it can be mounted horizontally or with upflow directions. External installations are just as quick and easy with supply outlets located next to each other.

With the addition of Lennox add-on cooling, the Lennox Merit Series™ allows you to enjoy the comforts of cool air in summer, travelling through the same duct work as your gas unit. The add-on cooling option can be set up at the time of installation, or retrofitted to your heating system at a later date. The Lennox Merit Series™ comes standard with higher airflow to match add-on cooling without the need to upgrade fans.

The Lennox Merit Series™ is not impacted by fluctuating external ambient temperatures and will deliver consistent heating regardless of outside temperature change.

New and unique sound absorbing insulation panels deliver quiet operation. Plus, every component of the Lennox Merit Series™ is rigorously tested in Lennox's dedicated research lab, so you can count on your new furnace to deliver the highest possible levels of reliability and performance.

Features

- Base efficiency 3.7/2.8 Star rating
- Internal and external options
- Works with Lennox Humidifier and Lennox humidity enabled controllers
- Robust design with 5 year parts and labour warranty

Peace of mind

Kirby confidently stands behind the Lennox Merit Series™ furnace with a comprehensive 5 year parts and labour warranty for domestic applications.

**5 YEAR
WARRANTY**



Lennox Merit Series™ – Internal

Model Number	Description	Star Rating	Heating Output (kW)	Input (Mj/h)	Airflow range (L/Sec)	Static (Pa)	Flue (mm)	Gas Connection (in.)	Add-on Cooling (kW)	Power Supply (V/Hz/Φ)	Dimensions (mm)	Weight (kg)
											W x D x H	
ML180UH070AP36A	Internal Gas Furnace 15.5 kW	3.8	15.5	69.6	282 - 716	<250	102	½	TSA036S41-1	240/50/1	368 x 724 x 838	54
ML180UH090AP48B	Internal Gas Furnace 20.6 kW	3.7	20.6	92.8	229 - 890	<250	102	½	TSA048S41-1 TSA048S41-3	240/50/1	445 x 724 x 838	63
ML180UH110AP60C	Internal Gas Furnace 25.8 kW	3.8	25.8	116.1	665 - 1165	<250	102	½	TSA060S41-1	240/50/1	533 x 724 x 838	71
ML180UH135AP60D	Internal Gas Furnace 31.0 kW	3.9	31.0	139.3	627 - 1153	<250	102	½	TSA060S41-3 TSA072S4-3	240/50/1	622 x 724 x 838	79

Lennox Merit Series™ – External without coil

Model Number	Description	Star Rating	Heating Output (kW)	Input (Mj/h)	Airflow range (L/Sec)	Static (Pa)	Flue (mm)	Gas Connection (in.)	Add-on Cooling (kW)	Power Supply (V/Hz/Φ)	Dimensions (mm)	Weight (kg)
											W x D x H	
ML18009048B - E	External Gas Furnace 17.3 kW	2.8	17.3	92.8	229 - 890	<250	102	½	TSA048S41-1 TSA048S41-3	240/50/1	456 x 1415 x 1027	80
ML18011060C - E	External Gas Furnace 21.7 kW	2.8	21.7	116.1	665 - 1165	<250	102	½	TSA060S41-1	240/50/1	544 x 1415 x 1027	100
ML18013560D - E	External Gas Furnace 26.0 kW	2.8	26.0	139.3	627 - 1153	<250	102	½	TSA060S41-3 TSA072S4-3	240/50/1	633 x 1415 x 1027	110



Lennox is a leading global name in climate control solutions. The Lennox range offers a solution for any HVAC application and includes residential air conditioners, furnaces and heat pumps, plus commercial packaged units, air handling systems, chillers, comfort controls and indoor air quality systems.

All Lennox equipment is designed to optimise energy efficiency, cost of ownership and ease of installation.

With over 120 years of manufacturing history you can purchase Lennox with confidence that we are continually providing innovation, quality products and services.

LENNOXMERITSERIES_0720

13 23 50
lennoxaus.com.au

Exclusively distributed by

KIRBY
A **BEIJER REF** Company

The contents of this brochure are copyright protected and may not be reproduced in any form without the written consent of Kirby HVAC&R Pty Ltd (T/A Kirby). Recommendations and advice regarding the use of the products described in this publication are to be taken as a guide only and are given without liability on the part of the company or its employees. As Kirby continually improves its product range and processes, Kirby reserves the right to change product specifications without any prior notification. Please refer to the kirbyhvacr.com.au website for the latest version of this publication. The purchaser should independently determine the suitability of the product for the intended use and application and that the product complies with relevant standards. Kirby accepts no responsibility for loss or damage (direct or indirect and including consequential loss, loss of profits or opportunity and economic loss) however arising which results from any errors or omissions in the information contained in this publication or arising from the use or application of the information contained herein.

© Copyright 2020 Kirby HVAC&R Pty Ltd
Kirby HVAC&R Pty Ltd continually strives to improve products and processes.
We reserve the right to modify product features without notice Information is correct at time of printing.